



How to get the Source Code

To obtain the source code, you must follow the following steps:

1. Logging in our page with your **Username** and **Password**: [Log in](#)



2. Enter to “My account”, you can click at [My Account](#) or at your username link at top right of page.






3. Below, you can see the list of products purchased and the license information. Then, find the “IWCGJQuery Suite with Source Code” and click at download link :

License Details

License Name	User Name	Version	Expiration Date	Activation Code
...	...	1.7.0.2858	August 23, 2014	...

My Products

 IWCGjQuery Mobile Suite	Update: Renew Version: 1.7.0.2858 Documentation: ICCGjQuery Mobile Suite Downloads: ICCGjQuery Mobile Suite Installer
 IWCGjQuery Suite with Source Code	Update: Renew Version: 1.7.0.2858 Documentation: ICCGjQuery Suite with Source Code Downloads: ICCGjQuery Suite with Source Code Installer Source Code Stable: Download Now (Latest Version) Source Code Beta: Download Now (Latest Version)
 IWCGjQuery Suite	Update: Renew Version: 1.7.0.2858 Documentation: ICCGjQuery Suite Downloads: ICCGjQuery Suite Installer Upgrade: IWCGjQuery Suite With Source Code

Note: These source code links always point to the last stable and beta versions.

How to compile the Source Code

1. Install and register, normally, the CgDevTools version libraries for the source code version . This source code version can be read in file IWCGJQCore\CGDevToolsVersion.inc
2. Install the following packages, setting output path to the folder where DCUs are installed:

Important

You must set the **output path** to the correct folder!

Default correct folder: *«InstallPath»/RSXX/lib/release*

Legend:

XX – Delphi/BCB version.

Example:

You have Delphi XE2 you need set the output path to
“*«InstallPath»/RS16/lib/release*”

Note

CGDevTools install all binary files in the same folder, including the run-time and design-time packages (*.bpl).

DPK	Description
IWCGJQCore\IWCGJQCore_XXX_yyy.dpk	CG core run-time package
IWCGJQCore\dclIWCGJQCore_XXX_yyy.dpk	CG core design-time package
IWCGJQComps\IWCGJQComps_XXX_yyy.dpk	CG desktop suite run-time package
IWCGJQComps\dclIWCGJQComps_XXX_yyy.dpk	CG desktop suite design-time package
IWCGJQMobile\IWCGJQMobile_XXX_yyy.dpk	CG mobile suite run-time package
IWCGJQMobile\dclIWCGJQMobile_XXX_yyy.dpk	CG mobile suite design-time package

Legends:

xxx – IntraWeb version, possible values:

100	IntraWeb 10
110	IntraWeb 11
120	IntraWeb 12
140	IntraWeb 14

yyy – Delphi/BCB version, possible values:

70	Delphi 7
110	Delphi/BCB 2007
120	Delphi/BCB 2009
140	Delphi/BCB 2010
150	Delphi/BCB XE
160	Delphi/BCB XE2
170	Delphi/BCB XE3
180	Delphi/BCB XE4

Important

To compile the source code for **IW14.2.32** and **lower**, you have to comment the definition in IWCGJQ.INC file:

```
{$DEFINE IW14_2_33_UP}
```